

PRODUCT DATA SHEET

MaxiCut® Oil™ 34-470LP

Colour – Coating	Grey
Colour – Liner	Grey
Design	Palm coated knitwrist
Coating	NBR with Leather Pad
Coating texture	Leather Pad
Liner	Dyneema®, Glass, Nylon, Spandex
Patent number	EP 1 608 808
Palm thickness (mm)	2.50



Dimensions

Size Range	Size 8 (M)	Size 9 (L)	Size 10 (XL)	Size 11 (XXL)
Total glove length (+/- 10 mm)	220	230	240	245
Wrist length (mm)	60	65	1	65
Wrist width (mm)	78	80	80	85
Palm width (mm)	94	105	108	115
Over lock colour	Orange	White	Yellow	Black

EN Test Results

Test	Notified body	Result/Pass
EN ISO 21420: 2020	TÜV Rheinland	Yes
EN 388:2016 + A1:2018	TÜV Rheinland	4444D



PRODUCT DATA SHEET

MaxiCut® Oil™ 34-470LP

Typical Performance Values

EN 388:2016 + A1:2018 A. Abrasion Resistance	> 8000 Cycles
EN 388:2016 + A1:2018 B. Cut Resistance	> 10.0 index
EN 388:2016 + A1:2018 C. Tear Resistance	> 75 newtons
EN 388:2016 + A1:2018 D. Puncture Resistance	> 150 newtons
EN 388:2016 + A1:2018 E. Cut Resistance ISO	≥ 15 Newton

HandCare®

Skin Health Alliance Dermatologically Accredited	Yes
REACH compliant	Yes
Standard 100 by OEKO-TEX® (08.BH.57867 Hohenstein HTTI)	Certified
Sanitized®	Yes



PRODUCT DATA SHEET

MaxiCut® Oil™ 34-470LP

Packaging

Pairs per poly bag	12
Poly bags per carton	6
Carton count	72
Carton dimensions (mm)	500 x 295 x 270

Weight

Size Range	Size 8 (M)	Size 9 (L)	Size 10 (XL)	Size 11 (XXL)
Glove weight / pair (+/- 6 gram)	86	100	108	115
Gross weight (kg)	7.3	8.3	8.9	9.4
Carton weight (kg)	1	1	1	1
Net weight (kg)	6.3	7.3	7.9	8.4

Issue date: 21/04/2023

