


# PRODUCT DATA SHEET

## MaxiFlex® Comfort™ 34-926



Colour – Coating	Cobalt blue
Colour – Liner	Light grey
Design	Fully coated knitwrist
Coating	NBR (Nitrile Butadiene Rubber)
Coating texture	Micro-Foam for Controlled Grip
Liner	Cotton, Nylon, Spandex
Patent number	EP 1 608 808
Palm thickness (mm)	1.10



### Dimensions

Size Range	Size 5 (XXS)	Size 6 (XS)	Size 7 (S)	Size 8 (M)	Size 9 (L)	Size 10 (XL)	Size 11 (XXL)	Size 12 (XXXL)
Total glove length (+/- 10 mm)	190	195	210	225	225	230	240	
Wrist length (mm)	55	55	1	60	70	75	75	
Wrist width (mm)	60	60	65	70	70	70	70	
Palm width (mm)	79	82	90	94	98	102	104	
Over lock colour	Purple	Blue	Red	Orange	White	Yellow	Black	Green

### EN Test Results

Test	Notified body	Result/Pass
EN ISO 21420: 2020	TÜV Rheinland	Yes
EN 388:2016 + A1:2018	TÜV Rheinland	3121A
EN 407:2020	TÜV Rheinland	X1XXXX

### Typical Performance Values

EN ISO 21420: General requirements Dexterity	Level 5
EN 388:2016 + A1:2018 A. Abrasion Resistance	> 2000 Cycles
EN 388:2016 + A1:2018 B. Cut Resistance	> 1.2 index
EN 388:2016 + A1:2018 C. Tear Resistance	> 25 newtons
EN 388:2016 + A1:2018 D. Puncture Resistance	> 20 newtons
EN 388:2016 + A1:2018 E. Cut Resistance ISO	≥ 2 Newton

# PRODUCT DATA SHEET

## MaxiFlex® Comfort™ 34-926

### HandCare®

Skin Health Alliance Dermatologically Accredited	Yes
REACH compliant	Yes
OEKO-TEX® Standard 100 - 08.BH.57867 Hohenstein HTTI	Certified
Washable	40°C/104°F
Sanitized®	Yes



### Special features

Silicone free	Yes
FDA compliant	Yes
Food contact (EU)	Yes
Touchscreen compatible	Yes



### Packaging

Pairs per poly bag	12
Poly bags per carton	12
Carton count	144
Carton dimensions (mm)	500 x 295 x 270

### Weight

Size Range	Size 5 (XXS)	Size 6 (XS)	Size 7 (S)	Size 8 (M)	Size 9 (L)	Size 10 (XL)	Size 11 (XXL)	Size 12 (XXXL)
Glove weight / pair (+/- 6 gram)	34	38	44	52	56	60	62	
Gross weight (kg)	6.3	6.8	7.7	8.8	9.4	10	10.3	
Carton weight (kg)	1	1	1	1	1	1	1	
Net weight (kg)	5.3	5.8	6.7	7.8	8.4	9.0	9.3	0.0

Issue date: 27/11/2023

# PRODUCT DATA SHEET

